

# CE

**SPORTON LAB.**

Certificate No.: CB9910077

Report No.: EC030527-01

# CERTIFICATE


- **EQUIPMENT: ICP DAS with Converter**  
**MODEL NO. : WP-8131 (Please refer to following table)**  
**APPLICANT : ICP DAS CO., LTD.**

No. 111, Kuangfu N. Rd., Hukon Shiang, Hsinchu, Taiwan  
303, R.O.C.



**I HEREBY CERTIFY THAT:**

THE MEASUREMENTS SHOWN IN THIS TEST REPORT WERE MADE IN ACCORDANCE WITH THE PROCEDURES GIVEN IN EUROPEAN COUNCIL DIRECTIVE 2004/108/EC. THE EQUIPMENT WAS PASSED THE TEST PERFORMED ACCORDING TO European Standard EN 55022:2006/A1:2007 Class A, EN 61000-3-2:2006, EN 61000-3-3:1995/A1:2001/A2:2005, EN 55024:1998/A1:2001/A2:2003 ( IEC 61000-4-2:Edition 1.2:2001-04, IEC 61000-4-3:Edition 2.1:2002-09, IEC 61000-4-4:Second Edition:2004-07, IEC 61000-4-5:Edition 1.1:2001-04, IEC 61000-4-6:Edition 2.1:2004-11, IEC 61000-4-8:Edition 1.1:2001-03, IEC 61000-4-11:Second Edition:2004-03 ) THE TEST WAS CARRIED OUT ON Mar. 17, 2010 AT SPORTON INTERNATIONAL INC. LAB.

  
Castries Huang



CB9903091

Report No.: EC030527-01

**More Model No:**

The models listed below are series model to WP-8131.

Main	Operating System	Software	Diversity
I-87082W			2-channel Counter/Frequency Module
I-7088			8-Channel PWM Output and 8-Channel High Speed Counter Module
I-7088D			8-Channel PWM Output and 8-Channel High Speed Counter Module With LED
I-7510A			Isolated RS-422/485 Repeater/Converter
I-7522			Embedded communication controller with one RS-485 and two RS-232
I-7522D			Embedded communication controller with one RS-485 and two RS-232 With LED
I-7188E2-MTCP			Modbus/TCP Embedded Controller (Ethernet enables Modbus commands to run over TCP/IP)
I-7188E2D-MTCP			Modbus/TCP Embedded Controller (Ethernet enables Modbus commands to run over TCP/IP) With LED
ET-7019			8-channel Analog Input with High Voltage Protection and 4-channel Isolated Output Module
ET-7026			6-channel Analog Input, 2-channel Analog Output, 2-channel Digital Input And 2-channel Digital Output Module
ET-7044			8-channel Isolated Sink Type Open Collector Output and 8-channel Isolated Digital Input Module with 32-bit Counters
PET-7044			8-channel Isolated Sink Type Open Collector Output and 6-channel Isolated Digital Input Module with PoE
PET-7044-48V			8-channel Isolated Sink Type Open Collector Output and 6-channel Isolated Digital Input Module with PoE for 48V
PET-7051			16-channel Isolation Digital Input with PoE
PET-7051-48V			16-channel Isolation Digital Input with PoE for 48V
PET-7067			8-Channel Power Relay Output Module with PoE
PET-7067-48V			8-Channel Power Relay Output Module with PoE for 48V
WISE-7144		Web Server Inside	8-channel Isolated Sink Type Open Collector Output and 6-channel Isolated Digital Input Module with PoE
WISE-7151		Web Server Inside	16-channel Isolation Digital Input with PoE
WISE-7167		Web Server Inside	8-Channel Power Relay Output Module with PoE
WP-8131	Windows CE		Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8136	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8137	Windows CE	ISaGRAF	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8139	Windows CE	InduSoft	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8431	Windows CE		Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8436	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8437	Windows CE	ISaGRAF	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8439	Windows CE	InduSoft	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8831	Windows CE		Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8836	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8837	Windows CE	ISaGRAF	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)



<b>Main</b>	<b>Operating System</b>	<b>Software</b>	<b>Diversity</b>
WP-8839	Windows CE	InduSoft	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
LP-8131	Linux kernel		Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
LP-8431	Linux kernel		Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
LP-8831	Linux kernel		Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)

Please refer to user manual.